

# 2016 Driveline Service Interval Chart

For 1997-2016 vehicles in Severe Service operation. This document is four pages long.

Application (mi-miles in thousands)	Transaxle or Transmission		Differential	Transfer Case
	Automatic	Manual		
<b>Acura</b>				
SLX	20 mi	30 mi	30 mi	—
All others ex. NSX	30 mi/24 mo <sup>1</sup>	30 mi/24 mo <sup>1</sup>	15 mi/12 mo <sup>2</sup>	30 mi/24 mo
<b>Audi</b>				
1997-2016 All models	— <sup>3</sup>	— <sup>3</sup>	—	—
<b>BMW</b>				
All models: 2006-14	— <sup>4</sup>	— <sup>5</sup>	— <sup>5</sup>	— <sup>5</sup>
2000-05	— <sup>4</sup>	— <sup>5</sup>	— <sup>5</sup>	— <sup>5</sup>
1997-99	— <sup>4</sup>	—	— <sup>5</sup>	— <sup>5</sup>
<b>Buick/Cadillac</b>				
ATS: 2013-16	45 mi	45 mi	—	45 mi
CTS V: 2013-16	45 mi	22.5 mi	45 mi	45 mi
Other FWD: 2012-16	45 mi	—	—	—
1997-2011	50 mi	—	—	—
RWD: 1997	50 mi	—	—	—
<b>Chevrolet</b>				
Aveo: 2009-11	50 mi	—	—	—
2007-08	37.5 mi	—	—	—
Cruz, Sonic, Volt: 2012-16	45 mi	45 mi	—	45 mi
Sprint, Metro: 1995-2001	50 mi	12 mi	—	—
Prizm	15 mi/12 mo <sup>6</sup>	30 mi/24 mo	—	—
Other FWD: 2012-16	45 mi	—	—	—
1997-2011	50 mi	—	—	—
Corvette: 2012-16	—	—	—	—
1997-2011	50 mi	—	—	—
Camaro: 2012-16	45 mi	—	45 mi	—
2010-11	50 mi	—	50 mi	—
1997-2002	15 mi	—	6 mi <sup>7</sup>	—
<b>Chevrolet/GMC Trucks</b>				
FWD Vans: 2013-16	45 mi	—	—	—
1997-2012	50 mi	—	—	—
Astro, Safari: 2001-05	15 mi	—	15 mi	50 mi
1997-2000	15 mi	—	—	—
Canyon, Colorado: 2015-16	45 mi	45 mi	—	45 mi
2012	45 mi	—	—	—
2004-11	50 mi	—	—	—
Equinox, Torrent: 2012-16	45 mi	—	—	—
2005-11	50 mi	—	—	—
S-series, Sonoma, Bravada, Envoy:				
1997-2009	15 mi	—	—	50 mi <sup>1</sup>
Other light-duty models: 2012-16	45 mi	—	—	—
2001-12 Allison	25 mi	—	—	—
2001-11 Others	50 mi	—	—	—
1997-2000	50 mi	—	15 mi	—

- 1 Change fluid or oil as indicated by service light and symbol.
- 2 After initial 60 mi/36 mo. Accord, Prelude, every 15 mi/12 mo when towing.
- 3 1997-2000: Initial service at 45 mi/36 mo; 2001-04: 60 mi/36

- 4 mo; 2010-16: initial service at 35 mi then every 40 mi; Q5 hybrid: initial service at 35 mi then every 40 mi.
- 5 Change fluid or oil as indicated by Inspection I and symbol.
- 6 Towing, every 64 mi/48 mo.
- 7 Initial service at 15 mi.
- 8 Police, taxi, fleet, and frequent towing.
- 9 NV-247, 60 mi.

Application (mi-miles in thousands)	Transaxle or Transmission		Differential	Transfer Case
	Automatic	Manual		
<b>Chrysler, Plymouth, Dodge</b>				
Aspen: 2007-09	60 mi	60 mi	18 mi	60 mi
200, Avenger, Sebring & Stratus Coupes:				
2013-14	60 mi	—	—	—
2011-12	64 mi	—	—	—
2001-10	60 mi	—	—	—
1997-2000	30 mi	30 mi	—	—
Caliber: 2007-12	60 mi	48 mi	60 mi	60 mi
Challenger: 2014-16.				
2013	60 mi/60 mo	24 mi/24 mo	—	—
2011-12 SRT	60 mi/60 mo	30 mi/36 mo	18 mi/18 mo	—
Others	64 mi/48 mo	24 mi/24 mo	—	—
2008-10	60 mi/60 mo	32 mi/24 mo	—	—
Dart: 2013-16 1.4L	60 mi/60 mo	24 mi/24 mo	—	—
2.0, 2.4L	50 mi/60 mo <sup>8</sup>	50 mi/60 mo	—	—
60 mi/72 mo <sup>8</sup>	—	—	—	—
Laser, Stealth	30 mi	—	30 mi <sup>9</sup>	—
Pacifica: 2005-08	60 mi	—	21 mi <sup>10</sup>	15 mi
2004	48 mi	—	22.5 mi <sup>10</sup>	15 mi
300, Magnum, Charger: 2013-16.				
2008-12	60 mi	—	40 mi/48 mo	60 mi/72 mo <sup>9</sup>
2005-07	60 mi	—	60 mi/60 mo	60 mi
Other FWD models:				
2011-12	64 mi/48 mo	—	—	—
2004-10	60 mi	—	—	—
1999-2003	48 mi	—	—	—
1997-98	15 mi	—	15 mi <sup>11</sup>	—
<b>Dodge Trucks</b>				
FWD Vans: 2013-16.	60 mi/72 mo	—	— <sup>12</sup>	— <sup>12</sup>
2011-12	64 mi/48 mo	—	— <sup>12</sup>	— <sup>12</sup>
2004-10	60 mi	—	— <sup>12</sup>	— <sup>12</sup>
2000-03	48 mi	—	— <sup>12</sup>	— <sup>12</sup>
1997-99	15 mi	—	— <sup>12</sup>	— <sup>12</sup>
Dakota, Durango: 2013-15.				
2011-12	60 mi/72 mo <sup>13</sup>	—	20 mi/24 mo	120 mi/144 mo
2008-10	64 mi/48 mo	—	48 mi/36 mo	64 mi/48 mo
2005-07	60 mi	60 mi	18 mi	60 mi
2002-04	60 mi	60 mi	15 mi	120 mi
1998-2001	30 mi	18 mi	12 mi	60 mi
1997	12 mi	18 mi	12 mi	37.5 mi/30 mo
Journey: 2013	60 mi	18 mi	12 mi	37.5 mi/30 mo
2011-12	60 mi/72 mo <sup>1</sup>	—	60 mi/72 mo	—
2009-10	64 mi/48 mo	—	64 mi/48 mo	—
Nitro: 2007-11.	60 mi/60 mo	—	60 mi/60 mo	—
Other light-duty models: 2011-12.	60 mi	—	60 mi	60 mi
2008-10	64 mi/48 mo	—	48 mi/36 mo	64 mi/48 mo
	60 mi/60 mo	—	—	60 mi/60 mo

- 10 Except when using ATF+4 fluid.
- 11 NP-297, 22.5 mi/18 mo.
- 12 Includes rear differential and FWD final drive.
- 13 Does not apply to 8-speed transmission.

Application (mi—miles in thousands)	Transaxle or Transmission		Differential	Transfer Case
	Automatic	Manual		
<b>Dodge Trucks, cont.</b>				
Other light-duty models: 2004-07 . . . . .	30 mi <sup>1</sup>	18 mi <sup>2</sup>	15 mi	60 mi
2001-03 . . . . .	30 mi	18 mi	12 mi <sup>3</sup>	18 mi
1997-2000 . . . . .	12 mi	18 mi	12 mi <sup>3</sup>	18 mi
<b>Ford, Lincoln, Mercury</b>				
Edge, Flex, Taurus: 2008-16 . . . . .	30 mi	—	— <sup>6</sup>	— <sup>6</sup>
Focus: 2004-16 . . . . .	30 mi	60 mi <sup>4</sup>	—	—
Fiesta: 2011-16 . . . . .	30 mi <sup>5</sup>	60 mi	—	—
Fusion: 2010-16 . . . . .	30 mi	60 mi <sup>4</sup>	—	—
2006-09 . . . . .	30 mi	60 mi <sup>4</sup>	—	—
Other FWD: 1999-2016 . . . . .	30 mi	60 mi	—	— <sup>6</sup>
1997-98 . . . . .	21 mi	—	—	—
RWD: 2011-16 . . . . .	30 mi	60 mi	— <sup>6</sup>	—
2001-10 . . . . .	30 mi	—	100 mi <sup>6</sup>	—
1999-2000 . . . . .	30 mi	—	100 mi	—
1997-98 . . . . .	21 mi	—	100 mi	—
<b>Ford Trucks</b>				
E150 thru E350: 2000-13 . . . . .	30 mi	—	— <sup>7</sup>	—
1997-99 . . . . .	21 mi	—	— <sup>7</sup>	—
Escape, Mariner: 2016 . . . . .	30 mi	—	—	—
2001-12 . . . . .	30 mi	60 mi	— <sup>7</sup>	60 mi
Excursion: 2002-05 . . . . .	30 mi	60 mi	— <sup>7</sup>	60 mi
2000-01 . . . . .	30 mi	—	— <sup>8</sup>	60 mi
Expedition, Navigator: 2011-15 . . . . .	—	—	—	60 mi
2008-10 . . . . .	30 mi	—	— <sup>7</sup>	60 mi
2000-07 . . . . .	30 mi	—	— <sup>7</sup>	60 mi
1999 . . . . .	30 mi	—	— <sup>8</sup>	30 mi
1997-98 . . . . .	21 mi	—	— <sup>8</sup>	30 mi
Explorer, Mountaineer: 2011-15 . . . . .	30 mi	—	—	—
2002-10 . . . . .	30 mi	60 mi	—	—
1999-2001 . . . . .	30 mi	60 mi	— <sup>7</sup>	60 mi
1997-98 . . . . .	21 mi	30 mi	100 mi	60 mi
F150 thru F350: 2007-15 . . . . .	30 mi <sup>9</sup>	— <sup>10</sup>	— <sup>7</sup>	60 mi
1999-2006 . . . . .	30 mi	60 mi	— <sup>7</sup>	60 mi
1997 . . . . .	21 mi	30 mi	100 mi	60 mi
Ranger: 2006-11 . . . . .	30 mi	— <sup>10</sup>	— <sup>7</sup>	60 mi
2000-05 . . . . .	30 mi	60 mi	— <sup>7</sup>	60 mi
1999 . . . . .	30 mi	60 mi	— <sup>8</sup>	60 mi
1998 . . . . .	50 mi	30 mi	— <sup>8</sup>	60 mi
1997 . . . . .	50 mi	30 mi	100 mi	60 mi
Transit: 2015-16 . . . . .	—	—	—	—
Transit Connect: 2010-16 . . . . .	30 mi	—	—	—
<b>Honda</b>				
Civic CVT: 2005-16 . . . . .	40 mi/24 mo <sup>11</sup>	—	—	—
CR-V:				
2005-16 . . . . .	25 mi	60 mi/36 mo	—	—
2002-14 . . . . .	30 mi <sup>11</sup>	60 mi/36 mo	—	—

- 1 Police, taxi, fleet and frequent towing.
- 2 2005 NV5600, 60 mi, G56 6-speed, 75 mi.
- 3 When towing a trailer.
- 4 2014-16 models.
- 5 Dusty conditions, every 50 mi.
- 6 Change every 3 mi when using mineral (non-synthetic) oil.

- 7 Some models have no change interval.
- 7 Front, every 150 mi. Rear, change every 3 mi when using mineral (non-synthetic) oil. Synthetic oil, change interval.
- 8 Front, every 100 mi. Rear, change every 3 mi when using mineral (non-synthetic) oil. Synthetic oil, change interval.
- 9 2011-16 models, not required.

Application (mi—miles in thousands)	Transaxle or Transmission		Differential	Transfer Case
	Automatic	Manual		
<b>Honda, cont.</b>				
Pilot: 2001-16 . . . . .	30 mi/30 mo	60 mi/36 mo	—	—
All others: 2006-16 . . . . .	— <sup>12</sup>	— <sup>12</sup>	—	—
Element, Insight: 2001-05 . . . . .	30 mi/24 mo	60 mi/36 mo	60 mi/36 mo	—
All others:				
2001-05 . . . . .	60 mi/24 mo	—	—	—
1997-2004 . . . . .	30 mi/24 mo <sup>13</sup>	—	—	—
<b>Hyundai</b>				
Accent, Veloster:				
2012-16 . . . . .	60 mi	75 mi	—	—
2010-11 . . . . .	60 mi	80 mi	80 mi	—
1998-2009 . . . . .	30 mi	60 mi	—	—
Azera, Elantra, Sonata:				
2014-16 . . . . .	60 mi	75 mi	—	—
2011-13 . . . . .	60 mi	80 mi	—	—
2006-10 . . . . .	30 mi	60 mi	—	—
Elantra, Sonata, Tiburon:				
1999-2010: . . . . .	30 mi	60 mi	—	—
1997-98 . . . . .	15 mi/10 mo	—	—	—
Entourage:				
2007-10 . . . . .	30 mi	30 mi	—	—
Equus, Santa Fe, Tucson, Veracruz:				
2014-16 . . . . .	60 mi <sup>14</sup>	75 mi	75 mi	75 mi
2011-13 . . . . .	60 mi	80 mi	80 mi	80 mi
2001-10 . . . . .	30 mi	60 mi	50 mi <sup>13</sup>	25 mi
2001-10 . . . . .	30 mi	60 mi	50 mi <sup>13</sup>	25 mi
Genesis Coupe:				
2013-16 . . . . .	60 mi	75 mi	75 mi	—
2011-12 . . . . .	62.5 mi	80 mi	60 mi	—
2010 . . . . .	37.5 mi/30 mo	60 mi	60 mi	—
Genesis Sedan:				
2010-16 . . . . .	60 mi	—	80 mi	—
2009 . . . . .	37.5 mi/30 mo	—	60 mi	—
<b>Infiniti</b>				
EX35: 2006-13 . . . . .	30 mi/24 mo	30 mi/24 mo	30 mi/24 mo	30 mi/24 mo
FX35, FX45, FX50: 2003-13 . . . . .	30 mi/24 mo	30 mi/24 mo	30 mi/24 mo	30 mi/24 mo
G20, G25, G35, G37: 1999-2013 . . . . .	30 mi/24 mo <sup>13</sup>	30 mi/24 mo <sup>13</sup>	30 mi/24 mo <sup>13</sup>	—
I30, I35: 1998-2004 . . . . .	30 mi/24 mo <sup>13</sup>	30 mi/24 mo <sup>13</sup>	30 mi/24 mo <sup>13</sup>	—
JX35: 2013 . . . . .	60 mi	—	30 mi/24 mo <sup>13</sup>	—
M35, M37, M45, M56: 2011-13 . . . . .	—	—	30 mi/24 mo <sup>13</sup>	30 mi/24 mo <sup>13</sup>
2006-10 . . . . .	30 mi/24 mo <sup>13</sup>	—	30 mi/24 mo <sup>13</sup>	30 mi/24 mo <sup>13</sup>
Q40, Q50, Q60, Q70: 2014-16 . . . . .	20 mi/24 mo <sup>15</sup>	—	20 mi/24 mo	20 mi/24 mo
Q45: 1998-2006 . . . . .	30 mi/24 mo <sup>13</sup>	30 mi/24 mo <sup>13</sup>	30 mi/24 mo <sup>13</sup>	—
QX4: 1998-2003 . . . . .	30 mi/24 mo	30 mi/24 mo	30 mi/24 mo	30 mi/24 mo
QX50, QX70, QX80: 2014-16 . . . . .	20 mi/24 mo	—	20 mi/24 mo	20 mi/24 mo
QX56: 2004-13 . . . . .	30 mi/24 mo	30 mi/24 mo	30 mi/24 mo	30 mi/24 mo
QX60: 2014-16 . . . . .	60 mi	—	20 mi/24 mo	20 mi/24 mo
QX60 Hybrid: 2014-16 . . . . .	30 mi	—	20 mi/24 mo	20 mi/24 mo

- 10 As required.
- 11 After initial 60 mi/36 mo. Accord, Prelude, every 15 mi/12 mo when towing.
- 12 Change fluid or oil as indicated by service light and symbol.
- 13 Only when towing a trailer or operating on rough or muddy roads.

- 14 2016 with Dual Clutch transmission, 75 mi.
- 15 7-speed automatic is maintenance free.

Published and Copyright 2016 by R. Scotti Lee. All rights reserved.

Application (mi-miles in thousands)	Transaxle or Transmission		Differential	Transfer Case
	Automatic	Manual		
<b>Isuzu</b>				
I280, I290, I350, I370: 2006-08	50 mi	—	—	—
Ascender: 2003-08	50 mi	—	—	50 mi <sup>1</sup>
2000-04: 3.2L	20 mi	30 mi <sup>2</sup>	15 mi	20 mi <sup>3</sup>
3.5L	60 mi	30 mi <sup>2</sup>	15 mi	20 mi <sup>3</sup>
Hombre	50 mi	—	15 mi	—
Other Trucks: 1997-99	20 mi	30 mi <sup>2</sup>	15 mi	20 mi
<b>Jeep</b>				
Compass, Patriot: 2014-16	60 mi/72 mo <sup>4</sup>	50 mi/60 mo	72 mi/60 mo	72 mi/60 mo <sup>5</sup>
2013	60 mi/72 mo	50 mi/60 mo	60 mi	60 mi
2007-12	60 mi	48 mi	60 mi	60 mi
Grand Cherokee, Commander:				
2013-15	60 mi/72 mo	—	—	120 mi/144 mo
2008-12	60 mi/60 mo <sup>6</sup>	—	24 mi/18 mo <sup>7</sup>	60 mi/60 mo <sup>7</sup>
2005-07	60 mi	—	15 mi	30 mi
Liberty: 2012				
2009-11	48 mi <sup>7</sup>	—	18 mi/18 mo	64 mi/48 mo <sup>7</sup>
2005-08	60 mi <sup>7</sup>	—	18 mi/18 mo	60 mi <sup>7</sup>
2002-04	60 mi <sup>7</sup>	—	12 mi	60 mi <sup>7</sup>
2002-04	30 mi	—	12 mi	60 mi
Renegade: 2015-16				
	—	50 mi/60 mo <sup>5</sup>	—	—
Wrangler, TJ: 2013-16				
2011-12	60 mi/72 mo	30 mi/36 mo	40 mi/48 mo	60 mi/72 mo
2005-10	64 mi/48 mo	—	—	64 mi/48 mo
2005-10: 4.7L, 5.7L	60 mi	—	12 mi	60 mi
Others	60 mi	—	15 mi	30 mi
2002-04	60 mi <sup>8</sup>	—	15 mi	60 mi
2000-01	30 mi	—	12 mi	30 mi <sup>8</sup>
1997-99	12 mi <sup>9</sup>	—	12 mi	30 mi/24 mo <sup>10</sup>
1997-99	12 mi <sup>9</sup>	18 mi	12 mi	30 mi/24 mo <sup>10</sup>
<b>Kia</b>				
Amanti, Rondo: 2010				
2004-09	60 mi	60 mi	—	—
	30 mi/30 mo	30 mi/30 mo	—	—
Cadenza: 2014-16				
	60 mi	—	—	—
Forte: 2014-16				
2011-13	60 mi	75 mi	—	—
2010	60 mi	80 mi	—	—
2010	60 mi	60 mi	—	—
Optima, Sedona: 2010-12				
1997-2009	60 mi	75 mi	—	—
	30 mi	60 mi	—	—
Rio, Rio 5: 2015-16				
2010-14	60 mi	75 mi	—	—
2010-14	60 mi	80 mi	80 mi	—
2001-09	30 mi/30 mo	60 mi/60 mo	60 mi/60 mo	—
Sorento, Sportage: 2010-16				
1997-2009	60 mi	80 mi	80 mi	80 mi
	30 mi	60 mi	60 mi	60 mi
Soul: 2011-16				
2010	60 mi	80 mi	—	75 mi <sup>11</sup>
2010	60 mi	60 mi	—	—
Other models: 1997-2010	30 mi/30 mo	30 mi/30 mo	30 mi/30 mo	30 mi/30 mo
<b>Land Rover</b>				
Discovery Sport: 2015-16	—	—	80 mi/60 mo	75 mi/60 mo

1 Electronic only.  
2 Initial service at 15 mi.  
3 Axiom, 30 mi.  
4 For fleet, taxi, police, or towing only.  
5 With CVT, every 144 mi/120 mo.

6 Towing, every 64 mi/48 mo.  
7 Diesel, 62.5 mi.  
8 NV-247, 60 mi.  
9 Except when using ATF+4 fluid.  
10 NP-297, 22.5 mi/18 mo.

Application (mi-miles in thousands)	Transaxle or Transmission		Differential	Transfer Case
	Automatic	Manual		
<b>Land Rover, cont.</b>				
Discovery: 1998-2004	30 mi	30 mi	30 mi	30 mi
Evogue: 2012-16	—	—	80 mi/60 mo	75 mi/60 mo
Freelander: 2002-05	30 mi	30 mi	30 mi	30 mi
LR2: 2012-15	—	—	75 mi/60 mo	75 mi/60 mo
LR3, LR4: 2016	30 mi	—	40 mi/30 mo <sup>12</sup>	40 mi/30 mo
2010-14	30 mi	—	75 mi/60 mo <sup>13</sup>	75 mi/60 mo
2006-09	150 mi/120 mo	—	120 mo	50 mi
2005	120 mo	—	120 mo	75 mi
Range Rover, Range Rover Sport				
2015	108 mo	—	120 mo	60 mi/80 mo
2014	30 mi	—	80 mi/60 mo <sup>13</sup>	60 mi/80 mo
2010-13	30 mi	—	80 mi/60 mo <sup>13</sup>	60 mi/75 mo
2006-09	150 mi/120 mo	—	120 mo	50 mi
1998-2005	30 mi	30 mi	30 mi	30 mi
<b>Lexus</b>				
ES330: 2004-06	60 mi/72 mo	—	30 mi/24 mo	30 mi/24 mo
ES350, HS250h, CT200h: 2007-16	60 mi/72 mo	—	60 mi/72 mo	—
GS350, -450, -460, LS460, -600:				
2005-16	60 mi/72 mo	—	60 mi/72 mo	60 mi/72 mo
GX460: 2013-16	—	—	15 mi/18 mo	30 mi/36 mo
IS250, IS350: 2006-16	60 mi/72 mo	—	60 mi/72 mo	—
LX430: 2004-06	60 mi/72 mo	—	30 mi/24 mo	30 mi/24 mo
LX470: 2004-11	30 mi/36 mo	—	30 mi/36 mo	30 mi/36 mo
2001-2003	30 mi/24 mo	30 mi/24 mo	15 mi/12 mo	30 mi/24 mo
1997-2000	15 mi/12 mo	15 mi/12 mo	15 mi/12 mo	30 mi/30 mo
LX450: 2001-2003	30 mi/24 mo	30 mi/24 mo	15 mi/12 mo	30 mi/24 mo
1997-2000	15 mi/12 mo	15 mi/12 mo	15 mi/12 mo	30 mi/30 mo
LX570: 2004-11	30 mi/36 mo	—	30 mi/36 mo	30 mi/36 mo
RX400h, RX450h: 2006-16	60 mi/72 mo	—	60 mi/72 mo	60 mi/72 mo
Other Models: 2005-16				
2004	60 mi/48 mo	60 mi/48 mo	15 mi/18 mo	60 mi/48 mo
2001-2003	60 mi/48 mo	30 mi/24 mo	60 mi/48 mo <sup>14</sup>	—
1997-2000	15 mi/12 mo	30 mi/24 mo	15 mi/12 mo <sup>14</sup>	—
<b>Mazda</b>				
2, 3, 5, 6, 626 FWD	—	—	—	—
323 FWD	—	—	30 mi/30 mo	30 mi/30 mo
929	30 mi/24 mo	30 mi/24 mo	30 mi/24 mo	30 mi/24 mo
CX-5	—	—	30 mi	—
CX-7	—	—	28 mi	—
CX-9: 2015	—	—	25 mi	—
2013-14	—	—	30 mi	—
2007-12	—	—	28 mi	—
Miata	30 mi/24 mo	30 mi/24 mo	30 mi/24 mo	—
Millenia	—	—	—	—
MPV: 1999-2006	—	—	—	—
1997-98	30 mi/24 mo	30 mi/24 mo	30 mi/24 mo	30 mi/24 mo

11 Soul EV reduction gear oil.  
12 Non-locking differential, 60 mo.  
13 Non-locking differential, 160 mi/120 mo.  
14 Includes rear differential and FWD final drive.

Application (mi-miles in thousands)	Transaxle or Transmission		Differential	Transfer Case
	Automatic	Manual		
<b>Mazda, cont.</b>				
Pickups: 1999-2005	30 mi	60 mi	—	60 mi
1997-98	21 mi	30 mi	100 mi	60 mi
Protege 4WD	—	—	30 mi/30 mo	30 mi/30 mo
RX8: 2004-11	—	30 mi/24 mo	30 mi/24 mo	—
Tribute: 2001-2011	30 mi	30 mi	— <sup>1</sup>	30 mi
<b>Mercedes-Benz</b>				
1997-2016	— <sup>2</sup>	—	—	—
<b>Mitsubishi</b>				
Endeavor, Outlander: 2011-16	30 mi/24 mo	30 mi/24 mo	—	30 mi/24 mo
2004-10	30 mi	30 mi/24 mo	—	60 mi/48 mo
RWD cars	30 mi	—	30 mi <sup>4</sup>	—
FWD cars	30 mi	30 mi	—	—
Pickup, Montero: 1997-2004	30 mi	30 mi	30 mi <sup>4</sup>	30 mi
<b>Nissan</b>				
Armada, Titan	30 mi/24 mo	—	30 mi/24 mo	30 mi/24 mo
Frontier, Xterra	30 mi/24 mo	30 mi/24 mo	30 mi/24 mo <sup>5</sup>	30 mi/24 mo
Murano	60 mi	30 mi/24 mo	30 mi/24 mo	30 mi/24 mo
Pathfinder	30 mi/24 mo	30 mi/24 mo	30 mi/24 mo <sup>5</sup>	30 mi/24 mo
FWD cars	30 mi/24 mo <sup>7</sup>	30 mi/24 mo <sup>6</sup>	—	—
<b>Oldsmobile/Pontiac</b>				
2003-10 Vibe	60 mi	30 mi	15 mi	15 mi
Other FWD: 1997-2009	50 mi	—	—	—
RWD: 1997-2004	15 mi	—	6 mi <sup>7</sup>	—
<b>Porsche</b>				
911: 2008-16	60 mi/72 mo	120 mi/144 mo	120 mi/144 mo <sup>8</sup>	120 mi/144 mo <sup>9</sup>
1999-2007	90 mi	90 mi	90 mi <sup>8</sup>	90 mi <sup>9</sup>
1998	30 mi	90 mi	90 mi <sup>8</sup>	90 mi <sup>9</sup>
Boxter, Cayman: 2006-16	60 mi/72 mo	120 mi/144 mo	—	120 mi/144 mo <sup>9</sup>
1998-2005	90 mi	90 mi	—	90 mi <sup>9</sup>
Cayenne: 2013-14	160 mi/192 mo	160 mi/192 mo	160 mi/192 mo	160 mi/192 mo <sup>9</sup>
Panamera: 2013-16: Hybrid	160 mi/192 mo	—	120 mi/144 mo	—
Other Models	60 mi/72 mo	—	120 mi/144 mo	—
<b>Ram Trucks</b>				
Cargo Vans: 2013-16	60 mi/72 mo	—	—	—
2011-12	64 mi/48 mo	—	—	15 mi
Promaster: 2014-16	60 mi/72 mo	—	—	—
Trucks: 2013-16				
Gasoline	60 mi/72 mo	60 mi/72 mo	20 mi/24 mo	60 mi/72 mo
Diesel	60 mi/48 mo	60 mi/48 mo	15 mi/12 mo	60 mi/48 mo
2013	60 mi/72 mo	60 mi/72 mo	20 mi/24 mo	60 mi/72 mo
2011-12	64 mi/48 mo	—	48 mi/36 mo	64 mi/48 mo
<b>Saab</b>				
9-2x: 2005-06	15 mi/15 mo	15 mi/15 mo	15 mi/15 mo	—
9-3: 2004-12	60 mi	—	—	—

- 1 With non-synthetic oil, 3 mi/3 mo.
- 2 Change fluid when service light comes on.
- 3 Except 5-speed.
- 4 Limited-slip only.
- 5 Limited-slip, 15 mi/12 mo.
- 6 Only when towing a trailer or driving on rough or muddy roads.

- 7 Only when towing a trailer; also initial service for models with Limited-Slip differential.
- 8 Front differential only.
- 9 With automatic transmission only.
- 10 Initial service at 20 mi.
- 11 All except 9-3: At first 20 mi, then every 30 mi.

Application (mi-miles in thousands)	Transaxle or Transmission		Differential	Transfer Case
	Automatic	Manual		
<b>Saab, cont.</b>				
9-3: 1999-2003	30 mi	—	—	—
9-4x	50 mi	—	—	—
9-5: 2007-11	60 mi	—	—	—
2004-06	90 mi/60 mo	—	—	—
2002-03	60 mi	—	—	—
1999-2001	30 mi <sup>10</sup>	—	—	—
9-7x: 2005-09	50 mi	—	—	50 mi
Other Models: 1997-98	30 mi <sup>11</sup>	—	—	—
<b>Saturn</b>				
2008-09: VUE	50 mi	—	—	25 mi
2002-07: VUE 3.5L	25 mi	—	—	—
2001-09: Others	50 mi	—	—	—
1997-2000: All	30 mi	—	—	—
<b>Subaru</b>				
Models with CVT: 2002-16	25 mi	15 mi/15 mo	15 mi/15 mo	15 mi/15 mo
Other Models: 2002-16	15 mi/15 mo	15 mi/15 mo	15 mi/15 mo	15 mi/15 mo
All Models: 1997-2001	15 mi/15 mo	30 mi/30 mo	30 mi/30 mo	—
<b>Suzuki</b>				
Aerio, Esteem, Swift: 1998-2013	48 mi	—	—	—
Forenza, Varona, Reno: 1998-2013	37.5 mi/30 mo	—	—	—
SX4: 2007-13	48 mi	15 mi	15 mi	15 mi
Other Models: 1998-2013	15 mi	15 mi	15 mi	15 mi
<b>Toyota</b>				
4-Runner, FJ Cruiser: 2003-16	60 mi/72 mo	30 mi/24 mo <sup>12</sup>	15 mi/36 mo <sup>13</sup>	30 mi/36 mo <sup>14</sup>
Avalon, Sienna: 2005-16	60 mi/72 mo	—	—	—
Echo: 2004-16	60 mi/72 mo	30 mi/36 mo	—	—
2000-03	60 mi/48 mo	30 mi/24 mo	—	—
Matrix, Venza: 2005-16	60 mi/72 mo	30 mi/36 mo	15 mi/18 mo	15 mi/12 mo
Landcruiser: 2004-16	60 mi/72 mo	—	15 mi/18 mo	30 mi/36 mo
2001-03	30 mi/24 mo	—	15 mi/12 mo	30 mi/24 mo
1997-2000	15 mi/12 mo	—	15 mi/12 mo	30 mi/24 mo
Matrix, Venza: 2005-16	60 mi/72 mo	30 mi/36 mo	15 mi/18 mo	15 mi/12 mo
RAV4: 2005-16	60 mi/72 mo	30 mi/24 mo <sup>12</sup>	15 mi/36 mo	15 mi/18 mo <sup>15</sup>
2001-2004	60 mi/48 mo	30 mi/24 mo	15 mi/12 mo	15 mi/12 mo
Sequoia, Tacoma, Tundra: 2005-16	60 mi/72 mo	30 mi/24 mo <sup>12</sup>	15 mi/36 mo <sup>13</sup>	30 mi/36 mo <sup>16</sup>
Yaris: 2004-16	60 mi/72 mo	30 mi/36 mo	—	—
Other Models: 2005-16	60 mi/72 mo	30 mi/24 mo	30 mi/24 mo	—
2001-2004	30 mi/24 mo	30 mi/24 mo	15 mi/24 mo	30 mi/24 mo
<b>Volkswagen</b>				
1998-2016	—	—	—	—
1997	30 mi	—	—	—
<b>Volvo</b>				
2013-16	50 mi <sup>17</sup>	—	—	—
1997-2012	52.5 mi <sup>18</sup>	—	—	—

- 12 FJ Cruiser, Tundra, RAV4, 30 mi/36 mo.
- 13 FJ Cruiser, Tacoma w/o Traction Control, 15 mi/18 mo.
- 14 4-Runner 2003-06, 15 mi/12 mo.
- 15 2001-03, 15 mi/12 mo; 1999-2000, 30 mi/24 mo.
- 16 Tacoma, 30 mi/24 mo.
- 17 Or when indicated by message on dash.

- 18 Only when towing a trailer.